



# Monitor Arm Collection

omni

# ABOUT US

In the evolving world of modern workspaces, we stand out with innovative designs and comprehensive solutions tailored for professional needs.

**Revolutionary Designs:** We combine power integration with monitor stands, eliminating cable clutter for a clean, minimalist aesthetic.

**Global Reach:** Operating across six R&D and production bases worldwide, our team of over 350 professionals collaborates with partners in 36 countries. From end-users and distributors to agents and project developers, we work collaboratively to deliver innovative solutions tailored for commercial offices, coworking spaces, and other modern work environments.

**Advanced Operations:** Equipped with automated production lines and SAP systems, we ensure high efficiency and rigorous quality control at every step. Sufficient inventory guarantees prompt delivery for all client needs.

**Global Experience,  
Seamless Collaboration**

# OEM/ODM SERVICES



## Engineering Excellence

Experts Driven by Innovation

Our engineering team combines decades of expertise with a passion for solving modern workplace challenges.

**Experienced Professionals:** Over 10 engineers with 20+ years of industry experience and 20 engineers with 10+ years of expertise.

**Comprehensive Development:** From market research and product design to 3D modeling, mold planning, and cost evaluation, we streamline decision-making and accelerate project timelines.

## Customized Solutions, Tailored to You

We specialize in highly customizable ODM and OEM services to meet the unique demands of each client.

**Industry Expertise:** Partnering with industry leaders, we create localized designs tailored to regional markets, using diverse materials and techniques for optimal results.

**Versatile Applications:** Serving industries such as commercial offices, finance, healthcare, education, luxury hospitality, and public sector projects.

**Innovation at Scale:** Our R&D team works closely with clients to bring concepts to life, ensuring functionality, aesthetics, and cost-effectiveness.



## Quality Assurance

Uncompromising Standards

Quality is at the core of everything we do.

**End-to-End Testing:** From performance tests during design to inspections of raw materials, production, and final products, our processes are meticulous.

**Certified Excellence:** ISO 9001-certified operations ensure consistent, reliable product output. Our commitment to quality has earned the trust of international markets for nearly two decades.

YOUR  
INNOVATIVE  
MONITOR ARM  
SOLUTION

# INDEX


|        |       |           |       |
|--------|-------|-----------|-------|
| KONI   | 01-03 | X-TRANSFO | 10-12 |
| XPICK  | 04-05 | CRANE     | 13-15 |
| GAMING | 06-07 | ROBOT     | 16-19 |
| X.HAWK | 08-09 | TRUSS     | 20-22 |



- 
- **Gas Spring Mechanism:** Smooth, adjustable height and positioning.
  - **Power Integration:** Includes power sockets for convenient device charging.

KONI

- 
- **Premium Materials:** Die-cast aluminum and ABS construction for durability.
  - **Integrated Cable Management:** Built-in clips for a clutter-free desk.

- 
- **Tool-Free Installation:** Easy mounting in minutes.

# KONI



Item No.

MNA-FS-100



MNA-AT-300

## Technical Parameter

|                          |                      |                      |
|--------------------------|----------------------|----------------------|
| Screen Size              | 10-30"               | 10-30"               |
| Weight Capacity(Per Arm) | 2-9 kg (4.5-19.5lbs) | 2-9 kg (4.5-19.5lbs) |
| Arm MAX Extension        | 532 mm (20.9")       | 470 mm (18.5")       |
| Arm MAX Height           | 416 mm (16.2")       | 634 mm (24.9")       |
| Cable Management         | Yes                  | Yes                  |
| VESA Compatible          | 75×75/100×100 mm     | 75×75/100×100 mm     |
| Material                 | Aluminum             | Aluminum             |
| Tilt Range               | -90°/+35°            | -90°/+35°            |
| Swivel Range             | 360°                 | 360°                 |
| Rotation                 | 360°                 | 360°                 |
| Height Adjustable        | Gas spring           | Gas spring           |
| Clamp Range              | 0-100 mm (0-3.9")    | 0-100 mm (0-3.9")    |
| Warranty                 | 2 years              | 2 years              |

## Packaging Information

|                |                |                |
|----------------|----------------|----------------|
| 20GP           | 700 PCS        | 700 PCS        |
| 40HQ           | 1700 PCS       | 1700 PCS       |
| Carton Size    | 490×350×166 mm | 480×350×180 mm |
| Qty Per Carton | 1 PC           | 1 PC           |
| Gross Weight   | 3.71 KG        | 3.5 KG         |



## STATEMENT OF LINE

---



MNA-FS-100



MNA-AT-300



MNA-AT-300D



MNA-FS-100D



MNA-FS-100DB.XX



MNA-FS-100Q

## INSTALLATION OPTION

---



Side Clamp



Grommet Clamp



Grommet Install



Wall Mounted



- 
- The image shows the XPICK monitor arm in a horizontal position, extending from a desk. The arm is black with a silver mounting plate. It is positioned in front of a light-colored wall and a wooden desk. The arm is shown in two slightly different poses to demonstrate its flexibility.
- **Gas Spring Mechanism:** Effortless height and angle adjustments.
  - **Integrated Cable Management:** Keeps workspaces tidy.

XPICK

- 
- The image shows the XPICK monitor arm in a vertical position, extending upwards from a desk. The arm is black with a silver mounting plate. It is positioned in front of a light-colored wall and a wooden desk. The arm is shown in two slightly different poses to demonstrate its flexibility.
- **Versatile Support:** Compatible with single or dual monitors.

- 
- The image shows the XPICK monitor arm in a diagonal position, extending from a desk. The arm is black with a silver mounting plate. It is positioned in front of a light-colored wall and a wooden desk. The arm is shown in two slightly different poses to demonstrate its flexibility.
- **Durable Build:** Aluminum alloy and high-strength plastic construction.

# XPICK



Item No.

XPICKA

XPICKB

## Technical Parameter



|                 |                      |                      |
|-----------------|----------------------|----------------------|
| Screen Size     | 17- 30 inch          | 17- 27 inch          |
| Weight Capacity | 2-9 kg (4.5-19.5lbs) | 2-9 kg (4.5-19.5lbs) |
| Tilt Angles     | +85°/-30°            | +85°/-30°            |
| Swivel Angles   | ±90°                 | ±90°                 |
| VESA            | 75×75/100×100 mm     | 75×75/100×100 mm     |
| Rotation        | 360°                 | 360°                 |
| Warranty        | 3 years              | 3 years              |

Installation Option

Side Clamp / Grommet Install

## Packaging Information

|                |                |                |
|----------------|----------------|----------------|
| Carton Size    | 420×342×312 mm | 431×207×419 mm |
| Qty Per Carton | 6 pcs          | 3 pcs          |
| Gross Weight   | 17.2 kg        | 16.2 kg        |



**Gravity Wheel Design:**  
Ensures safety and stability.

## GAMING MONITOR ARM

**Quick Setup:** Conversion-ready  
and plug-and-play functionality.

**Integrated Cable Management:**  
Simplifies workspace organization.

# GAMING MONITOR ARM




|          |                                                                                   |                                                                                    |                                                                                     |
|----------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|          |  |  |  |
| Item No. | OG60                                                                              | OG70                                                                               | OG80                                                                                |

## Technical Parameter

|                 |                     |                     |                     |
|-----------------|---------------------|---------------------|---------------------|
| Screen Size     | 32"-60"             | 32"-60"             | 32"-60"             |
| Weight Capacity | 4.4-44lbs (2-20 kg) | 4.4-44lbs (2-20 kg) | 4.4-44lbs (2-20 kg) |
| VESA            | 75×75/100×100 mm    | 75×75/100×100 mm    | 75×75/100×100 mm    |
| Upright         | 9.8"(250 mm)        | 9.8"(250 mm)        | 9.8"(250 mm)        |
| Rotation        | 360°                | 360°                | 360°                |
| Tilt Range      | ±50°                | ±50°                | ±50°                |
| Swivel Range    | ±90°                | ±90°                | ±90°                |

## Packaging Information

|                |                |                |                |
|----------------|----------------|----------------|----------------|
| 20GP           | 872 PCS        | 868 PCS        | 927 PCS        |
| 40HQ           | 2172 PCS       | 2164 PCS       | 2310 PCS       |
| Carton Size    | 462×401×164 mm | 447×416×164 mm | 448×389×164 mm |
| Qty Per Carton | 1 PC           | 1 PC           | 1 PC           |
| Gross Weight   | 7.1 KG         | 7.5 KG         | 7.7 KG         |





- **Ergonomic Design:** Cylinder-shaped arm for optimal posture support.
- **Extended Reach:** Maximizes flexibility in monitor placement.



X.HAWK


- **Custom Branding:** Optional logo customization for brand alignment.

- **High-Quality Gas Spring:** Durable and long-lasting for heavy use.





X.HAWK



| Item No. | XHAWK.A | XHAWK.B |
|----------|---------|---------|
|----------|---------|---------|



Technical Parameter

|                 |                      |                      |
|-----------------|----------------------|----------------------|
| Screen Size     | 17- 30 inch          | 17- 27 inch          |
| Weight Capacity | 2-9 kg (4.5-19.5lbs) | 2-9 kg (4.5-19.5lbs) |
| Tilt Range      | +85°/-30°            | +85°/-30°            |
| Swivel Range    | ±90°                 | ±90°                 |
| VESA            | 75×75/100×100 mm     | 75×75/100×100 mm     |
| Rotation        | 360°                 | 360°                 |
| Weight          | 2.86 kg              | 5.33 kg              |

|                     |                              |
|---------------------|------------------------------|
| Installation Option | Side Clamp / Grommet Install |
|---------------------|------------------------------|

Packaging Information

|                |                |                |
|----------------|----------------|----------------|
| 20GP           | 3702 PCS       | 2100 PCS       |
| 40HQ           | 9180 PCS       | 5180 PCS       |
| Carton Size    | 423×350×310 mm | 435×205×425 mm |
| Qty Per Carton | 6 pcs          | 3 pcs          |
| Gross Weight   | 18 KG          | 16.8 KG        |



- **Mechanical Spring System:** Durable, reliable, and versatile.
- **Force Retention:** No loss of spring force at any angle.



- **Seamless Cable Management:** Keeps your workspace organized.
- **Power Integration:** Features power sockets for added convenience.

- **Adjustable Height:** Freely configurable for user comfort.







| Item No. | MA600A | MA800A |
|----------|--------|--------|
|----------|--------|--------|

|                             |                     |                     |
|-----------------------------|---------------------|---------------------|
| Material                    | Diecast aluminium   | Diecast aluminium   |
| Weight Capacity(Per Screen) | 3-11 kg (6.7-24lbs) | 3-11 kg (6.7-24lbs) |
| Suggested Screen Size       | 13-34”              | 13-34”              |
| Screen Tilt Range           | +90°~-25°           | +90°~-25°           |
| VESA Com                    | 75×75/100×100 mm    | 75×75/100×100 mm    |
| Screen Swivel Range         | +90°~-90°           | +90°~-90°           |
| Stretch Distance            | 860 mm              | 860 mm              |
| Lifting Life                | 200,000 Times       | 200,000 Times       |
| Lifting Range               | 285 mm              | 285 mm              |
| Screen Rotation             | 360°                | 360°                |
| Warranty                    | 10 years            | 10 years            |

|                |                |                |
|----------------|----------------|----------------|
| 20GP           | 1660 PCS       | 1500 PCS       |
| 40HQ           | 4050 PCS       | 3650 PCS       |
| Carton Size    | 433×263×160 mm | 455×230×180 mm |
| Qty Per Carton | 1 PC           | 1 PC           |
| Gross Weight   | 3.84 KG        | 3.275 KG       |



## STATEMENT OF LINE

---



## INSTALLATION OPTION

---



**Side Clamp**  
10-85mm for clamp



**Grommet Install**  
10-60mm for grommet



- **Heavy-Duty Support:** Designed for 38"-49" ultra-wide monitors (10-20kg).




- **Mechanical Spring System:** Smooth height adjustment for ergonomic use.

- **Integrated Cable Management:** Neatly organizes cords.
- **Power Integration:** Built-in power sockets for easy charging.



# CRANE



Item No.

MA900A



MA700A

## Technical Parameter

|                     |                     |                      |
|---------------------|---------------------|----------------------|
| Max Screen Size     | 38-49" Curved       | 17-32"               |
| Weight Capacity     | 10-20 kg (22-44lbs) | 2~9 kg (4.5-19.5lbs) |
| Tilt Range          | +90° to -5°         | +90° to -45°         |
| Arm Max Extension   | 585 mm              | 545 mm               |
| Max Vertical Height | 500 mm              | 505 mm               |
| Clap Range          | 2-6 cm (0.8"-2.35") | 2-6 cm (0.8"-2.35")  |
| HD Tilter           | Yes                 | Yes                  |
| LIFT Mechanism      | Gas spring          | Gas Spring           |
| Quick Release Head  | Yes                 | Yes                  |
| New Top Mounting    | Yes                 | Yes                  |
| Cable Management    | Yes                 | Yes                  |
| 180 Degree Lockout  | Yes                 | Yes                  |
| Warranty            | 10 years            | 10 years             |



## Packaging Information

|                |                |                |
|----------------|----------------|----------------|
| Carton Size    | 460×250×140 mm | 448×235×120 mm |
| Qty Per Carton | 1 PC           | 1 PC           |
| Gross Weight   | 4.665 KG       | 3.115 KG       |



## STATEMENT OF LINE

---



## INSTALLATION OPTION

---



- 
- **Sturdy Construction:** Combines aluminum and steel for durability.
  - **Height Adjustable:** Easy to adapt to individual needs.

ROBOT

- 
- **Versatile Support:** Compatible with single, dual, or triple monitors, as well as laptop and iPad holders.

- 
- **Power Integration:** Includes 3AC, 1USB, and 1USB-C functional base (UL certified).
  - **Cable Management:** Maintains a clean and professional workspace.



# ROBOT



Item No.

MA200A



MA200B

## Technical Parameter

|                 |                  |                     |
|-----------------|------------------|---------------------|
| Material        | Aluminum+Steel   | Aluminum+Steel      |
| Screen Size     | 13"-27"          | 13"-27"             |
| Weight Capacity | 8 kg (17.6lbs)   | 8 kg (17.6lbs) each |
| VESA            | 75×75/100×100 mm | 75×75/100×100 mm    |
| Tilt Range      | -90°/+35°        | -90°/+35°           |
| Swivel Range    | 180°             | 180°                |
| Rotation        | 360°             | 360°                |

## Packaging Information

|                |                |                |
|----------------|----------------|----------------|
| 20GP           | 1380 PCS       | 1380 PCS       |
| 40HQ           | 3400 PCS       | 3400 PCS       |
| Carton Size    | 573×262×133 mm | 573×262×133 mm |
| Qty Per Carton | 1 PC           | 1 PC           |
| Gross Weight   | 3.1 KG         | 4.095 KG       |



## STATEMENT OF LINE



MA200A3



MA200A



MA200A1E3



MA200B3



MA200B



MA200B2



MA200B4



MA200B6



MA200B5



MA200B1E3



MA200B2E3



MA200B4E3



MA200B6E3



MA200B5E3



MA200C1E3



MA200C

## INSTALLATION OPTION



Side Clamp



Grommet Clamp

## COLUMN



Base 410



Base 710

| Description | Height       | Base           |
|-------------|--------------|----------------|
| Base 410    | 410mm/16.14" | Drilling Screw |
| Base 710    | 710mm/27.95" | Drilling Screw |

## ARM

### Single



Arm S



Arm M



Arm L

| Description | Width        |
|-------------|--------------|
| Arm S       | 190mm/7.48"  |
| Arm M       | 321mm/12.64" |
| Arm L       | 449mm/17.68" |

### Dual



Arm S



Arm M



Arm L

| Description | Width        |
|-------------|--------------|
| Arm S       | 380mm/14.96" |
| Arm M       | 642mm/25.28" |
| Arm L       | 898mm/35.35" |

## CONNECT PLATE



VESA Plate



Cell Phone Plate



Ipad Plate



Laptop Plate


| Description      | Width       | Height        |
|------------------|-------------|---------------|
| VESA Plate       | 120mm/4.72" | 120mm/4.72"   |
| Cell Phone Plate | 116mm/4.57" | 125mm/4.92"   |
| Ipad Plate       | 241mm/9.49" | 104.5mm/4.11" |
| Laptop Plate     | 320mm/12.6" | 242mm/9.53"   |

- **Multi-Monitor Solution:**  
Ideal for advanced setups.



- **Power Integration:** Charge devices directly with built-in sockets.
- **Cable Management:** Keeps cords organized and out of sight.

- **Quick Installation:** Designed for hassle-free assembly.
- **Adjustable Height:** Configurable for maximum comfort.





# TRUSS



Item No.

MA400A



MA400C

## Technical Parameter

|                          |                   |                     |
|--------------------------|-------------------|---------------------|
| Screen Size              | 0-32"             | 0-32"               |
| Weight Capacity(Per Arm) | 8 kg (17.6lbs)    | 8 kg (17.6lbs) each |
| Arm MAX Extension        | 417 mm (16.42")   | 525 mm (20.7")      |
| Arm MAX Height           | 357 mm (14.06")   | 407 mm (16")        |
| VESA Compatible          | 75×75/100×100 mm  | 75×75/100×100 mm    |
| Material                 | Aluminum          | Aluminum            |
| Tilt Range               | ±60°              | ±60°                |
| Swivel Range             | 360°              | 360°                |
| Rotation                 | 360°              | 360°                |
| Fatigue Test             | 40000 times       | 40000 times         |
| Clamp Range              | 0-100 mm (0-3.9") | 0-100 mm (0-3.9")   |
| Warranty                 | 2 years           | 2 years             |


## Packaging Information

|                |                |                |
|----------------|----------------|----------------|
| 20GP           | 700 PCS        | 700 PCS        |
| 40HQ           | 1700 PCS       | 1700 PCS       |
| Carton Size    | 480×350×180 mm | 480×350×180 mm |
| Qty Per Carton | 1 PC           | 1 PC           |
| Gross Weight   | 3.275 KG       | 6.4 KG         |



## STATEMENT OF LINE

---



## INSTALLATION OPTION

---



Follow us:

-  [linkedin.com/company/omnidesking](https://www.linkedin.com/company/omnidesking)
-  [facebook.com/omniflexwork](https://facebook.com/omniflexwork)
-  [instagram.com/omniflexwork](https://instagram.com/omniflexwork)
-  [youtube.com/@omniflexwork](https://youtube.com/@omniflexwork)

# omni

**Jiangsu Omni Industrial Co., Ltd.**

No.9 YinBai Road, Hanjiang Industrial Park, Yangzhou, Jiangsu, CN

[omnidesking.com](https://omnidesking.com) | [omnielectric.cn](https://omnielectric.cn)

[sales@omnidesking.com](mailto:sales@omnidesking.com)

+86 139 0527 3603